

**GCE**

**Biology**

Unit **F214**: Communication, Homeostasis & Energy

Advanced GCE

**Mark Scheme for June 2017**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.















All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

These are the annotations, (including abbreviations), including those used in scoris, which are used when marking

Annotation	Meaning
	Benefit of Doubt
	Contradiction
	Cross
	Error Carried Forward
	Given Mark
	Extendable horizontal wavy line
	Ignore
	Large dot (Key point attempted)
	Benefit of the doubt not given
	additional QWC credit given
	Tick
	Tick 1
	Tick 2
	Omission Mark

Subject specific instructions for this question paper

Unless otherwise stated, accept phonetic spelling throughout unless there is clear ambiguity with another term.

For each correct mark point awarded the tick annotation should be used.

Ensure that the answers to all part questions are acknowledged with a suitable annotation – e.g.

an omission mark or NBOD if the answer is incomplete or not good enough

a wavy line if some information is inaccurate

CON if a potential mark point is contradicted

a cross if the answer is completely wrong.

Use BOD with care and only if you are certain that the answer is close enough to the required information for the mark.

Question		Expected Answers				Marks	Additional Guidance	
1	(a)						<p><b>Award one mark per correct row. DO NOT CREDIT more than one tick on a row</b> (even if this is in row 3).  <b>DO NOT CREDIT</b> hybrid ticks  <b>IGNORE</b> crosses if in <u>all</u> the 'blank' cells</p> <p><b>Row 3 ACCEPT</b> tick in 'both' column <i>instead of</i> 'type 1' column</p>	
1	(b)	(i)	<p>1 <i>idea that</i> the insulin is human insulin ;</p> <p>2 will not , produce an allergic reaction / trigger an immune response ;</p> <p>3 no animals are harmed / no animal welfare issues / no ethical concerns / no religious concerns ;</p> <p>4 AVP ;</p> <p>5 supply can be adjusted to meet demand ;</p> <p>6 can be , mass produced / produced in large quantities / produced quickly ;</p> <p>7 AVP ;</p>				4	<p><b>IGNORE</b> ref to rejection</p> <p>1 e.g. the protein made is human</p> <p>3 e.g. more ethical / fewer ethical concerns</p> <p>4 e.g. no risk of animal virus transfer human insulin is more effective</p> <p>7 e.g. (as it uses a fermenter) frees up land (for other uses)</p>
							3 max	

Question			Expected Answers	Marks	Additional Guidance
1	(b)	(ii)	<p>would be , permanent / a cure / allows them to produce insulin themselves ;</p> <p>stem cells will , produce / (divide and) differentiate into , beta / insulin-producing , cells ;</p> <p>(no need for insulin injections because new) <u>beta</u> cells produce insulin ;</p> <p>AVP ;</p>	2 max	<p><b>ACCEPT</b> long term solution</p> <p><b>DO NOT CREDIT</b> B / b , cells</p> <p><b>Note;</b> ‘stem cells will differentiate into beta cells which make insulin’ = 2 marks</p> <p>e.g. avoids use of injections for those with phobias less disruption to lifestyle injection sites can be difficult to use as skin becomes hardened there (could) reduce risk of infection from repeated injections specific ref to less , restricted diet / dietary practice</p>
			<b>Total</b>	<b>9</b>	

Question	Expected Answers	Marks	Additional Guidance												
2 (a)	removal of waste products of metabolism (from the body) ;	1	Must refer to or imply metabolism 'unwanted by-products' = 'waste' <b>IGNORE</b> ref to faeces (as they do contain some excretory substances)												
2 (b)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;"><i>Component</i></th> <th><i>Explanation</i></th> </tr> </thead> <tbody> <tr> <td><i>urea</i></td> <td><i>When the blood enters the glomerulus, all the urea gets filtered out of the blood. But some of it is reabsorbed as it goes through the tubule, so there is still a small amount in the renal vein.</i></td> </tr> <tr> <td><i>ions - slightly less</i></td> <td><i>idea that more are filtered out than reabsorbed or idea that some are excreted</i> ;</td> </tr> <tr> <td><i>glucose - slightly less</i></td> <td><i>idea that reabsorbed / described and some used by (kidney cells) for , respiration / ATP production / active processes</i> ;</td> </tr> <tr> <td><i>oxyhaemoglobin - less</i></td> <td><i>oxygen used (by kidney cells) for <u>aerobic</u> respiration</i> ;</td> </tr> <tr> <td><i>red blood cells - the same</i></td> <td><i>too large to be (ultra)filtered out of the blood (at glomerulus / into nephron)</i> ;</td> </tr> </tbody> </table>	<i>Component</i>	<i>Explanation</i>	<i>urea</i>	<i>When the blood enters the glomerulus, all the urea gets filtered out of the blood. But some of it is reabsorbed as it goes through the tubule, so there is still a small amount in the renal vein.</i>	<i>ions - slightly less</i>	<i>idea that more are filtered out than reabsorbed or idea that some are excreted</i> ;	<i>glucose - slightly less</i>	<i>idea that reabsorbed / described and some used by (kidney cells) for , respiration / ATP production / active processes</i> ;	<i>oxyhaemoglobin - less</i>	<i>oxygen used (by kidney cells) for <u>aerobic</u> respiration</i> ;	<i>red blood cells - the same</i>	<i>too large to be (ultra)filtered out of the blood (at glomerulus / into nephron)</i> ;	4	<p><b>One mark for each correct row</b></p> <p><b>DO NOT CREDIT</b> if glucose is excreted</p> <p><b>CREDIT</b> too big to pass through , basement membrane / capillary wall</p>
<i>Component</i>	<i>Explanation</i>														
<i>urea</i>	<i>When the blood enters the glomerulus, all the urea gets filtered out of the blood. But some of it is reabsorbed as it goes through the tubule, so there is still a small amount in the renal vein.</i>														
<i>ions - slightly less</i>	<i>idea that more are filtered out than reabsorbed or idea that some are excreted</i> ;														
<i>glucose - slightly less</i>	<i>idea that reabsorbed / described and some used by (kidney cells) for , respiration / ATP production / active processes</i> ;														
<i>oxyhaemoglobin - less</i>	<i>oxygen used (by kidney cells) for <u>aerobic</u> respiration</i> ;														
<i>red blood cells - the same</i>	<i>too large to be (ultra)filtered out of the blood (at glomerulus / into nephron)</i> ;														

Question			Expected Answers	Marks	Additional Guidance
2	(c)	(i)	hypothalamus <b>or</b> (cell bodies of) osmoreceptors / neurosecretory cells ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>  <b>DO NOT CREDIT</b> produced in pituitary (as ADH secreted from there but not produced there) <b>IGNORE</b> stored in pituitary
2	(c)	(ii)	(walls of) collecting duct / distal convoluted tubule / dct ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>  <b>IGNORE</b> medulla / cortex
2	(d)		<i>idea that</i> they reduce the amount of water reabsorbed (in collecting duct / from filtrate) <b>or</b> they reduce the amount of ions reabsorbed (in tubule / from filtrate) <b>or</b> (could) reduce amount of ADH released <b>or</b> blocks ADH receptors (in wall of collecting duct) ;  <i>idea that</i> reduced blood volume will decrease pressure ;	2	<b>ACCEPT</b> ref to decreased permeability to water as long as ref is also made to the absorption <b>DO NOT CREDIT</b> ref to , preventing / stopping , water reabsorption  <b>ACCEPT</b> the idea that reduction in Na <sup>+</sup> and water relaxes the walls of the blood vessels and so reduces pressure
<b>Total</b>				<b>9</b>	



Question			Expected Answers	Marks	Additional Guidance
3	(a)		2.5 ;	1	Correct answer to 1 dp only
3	(b)	(i)	glycerol ;	1	<b>CREDIT</b> propan(e)-1,2,3-(tri)ol
3	(b)	(ii)	<p>1 (most of the ATP is produced by) <u>oxidative phosphorylation</u> / <u>chemiosmosis</u> ;</p> <p>2 hydrogen ions travel through ATP synth(et)ase ;</p> <p>3 (more hydrogen ions moving results in) greater amount of energy released (for ADP + P to form ATP) ;</p> <p>4 hydrogen / H<sup>+</sup> / H , can be , attached to / carried by , NAD / FAD</p> <p><b>or</b></p> <p>hydrogen / H<sup>+</sup> / H , can form reduced NAD / reduced FAD ;</p>	2 max	<p><b>DO NOT CREDIT</b> if answered in the context of grana and/or thylakoids</p> <p>“they” = hydrogen (ions)</p> <p><b>2 ACCEPT</b> ref to facilitated diffusion using ATP synth(et)ase</p> <p><b>3 ACCEPT</b> greater proton motive force (to provide energy) more rotation of ATP synthase (for conversion of ADP to ATP)</p>

Question		Expected Answers	Marks	Additional Guidance
3	(c)	<p><b>Two from mps 1 - 3</b></p> <p><b>1</b> (protein is) <b>hydrolysed</b> / acted upon by <b>enzymes</b> / acted upon by <b>proteases</b> / <b>peptide</b> bonds broken , to produce <b>amino acids</b> ;</p> <p><b>2</b> (amino acids) are <b>deaminated</b> ;</p> <p><b>3</b> can enter <b>Krebs cycle</b> ;</p> <p><b>AND</b></p> <p><b>4</b> <i>idea that</i> deamination does not release hydrogen (as is the case with lipids) / ratio of hydrogen to carbon is less (than lipids) ;</p>		<p><b>For 3 marks, the answer must have been awarded mp 4</b> <b>If all 3 marks awarded from mps 1-3, indicate the 3<sup>rd</sup> as GM (given max)</b></p> <p><b>1</b> <b>ACCEPT</b> broken down / digested / converted , to amino acids</p> <p><b>2</b> <b>ACCEPT</b> a description (e.g. amino acid converted into pyruvate)</p> <p><b>3</b> <b>DO NOT CREDIT</b> if urea enters directly</p> <p><b>4</b> e.g. lipids , have more H / provide more H<sup>+</sup> , per gram than protein proteins provide fewer, H / H<sup>+</sup> , for chemiosmosis proteins provide fewer acetyl groups (than lipids)</p>
		<p><b>QWC</b> – technical terms used appropriately and spelled correctly ;</p>	<b>3 max</b>	
			<b>1</b>	<p>Use of <b>three</b> terms from: <b>hydrolysed</b> (or derived term), <b>enzymes / proteases,</b> <b>peptide,</b> <b>amino acids,</b> <b>deaminated</b> (or derived term) <b>Krebs cycle</b></p> <p>Please insert a QWC symbol next to the pencil icon, followed by a tick (✓) if QWC has been awarded or a cross (x) if QWC has not been awarded You should use the green dot to identify the QWC terms that you are crediting.</p>
<b>Total</b>			<b>8</b>	

Question			Expected Answers	Marks	Additional Guidance
4	(a)	(i)	A ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
4	(a)	(ii)	A ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
4	(a)	(iii)	B ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
4	(a)	(iv)	A, C and D ;	1	<p><b>Mark the first 3 answers.</b>  <b>All 3 correct = 1 mark</b>  <b>Any missing or incorrect = 0 marks</b></p> <p>If the first 3 answers are correct and an additional answer is given then = <b>0 marks</b></p> <p>[With reference to <b>C</b>:  <b>C</b> is a simple Na<sup>+</sup> channel. During the establishment of the resting potential, the Na/K pump will pump K<sup>+</sup> into the cell and Na<sup>+</sup> out of the cell (as, indeed, it does constantly). Na<sup>+</sup> will diffuse back in slowly through <b>C</b> and K<sup>+</sup> will diffuse back out slowly through <b>B</b>. The movement of Na<sup>+</sup> back in is much less than the movement of K<sup>+</sup> back out. As <b>B</b> and <b>C</b> are not voltage-gated they will remain open at all times, even during depolarisation. The diffusion of the ions through <b>B</b> and <b>C</b> depends on both the relative concentration of the ions and the electrochemical gradient and will be small or, at times, negligible.]</p>

Question	Expected Answers	Marks	Additional Guidance
4 (b)	<p>1 adrenaline attaches to , J / <b>receptor</b> ;</p> <p>2 adrenaline <b>complementary</b> (shape) to (binding site on) J ;</p> <p>3 J / receptor , changes shape ;</p> <p><b>either</b></p> <p>4a causes , K / <b>G protein</b> , to , change shape / be activated / be released from J ;</p> <p>4b this , activates / binds with , L / enzyme / <b>adenyl(y) cyclase / adenylate cyclase / effector</b> ;</p> <p><b>or</b></p> <p>5 <b>adenyl(y) cyclase / adenylate cyclase / effector</b> , is activated ;</p> <p>6 adenylyl / adenylate , cyclase , converts ATP into , cAMP / <b>cyclic AMP</b> ;</p>	4 max	<p>1 <b>ACCEPT</b> 'first messenger' for 'adrenaline' <b>IGNORE</b> ref to active site</p> <p>2 <b>DO NOT CREDIT</b> ref to active site</p> <p>5 <b>IGNORE</b> ref to K and L</p> <p>6 <b>ACCEPT</b> 'second messenger' for 'cyclic AMP' <b>IGNORE</b> ref to K and L <b>IGNORE</b> ref to action of cAMP once formed</p>
	<p><b>QWC</b> – technical terms used appropriately and spelled correctly ;</p>	1	<p>Use of <b>three</b> terms from: <b>receptor,</b> <b>complementary,</b> <b>G protein,</b> <b>adenylyl cyclase</b> or <b>adenylate cyclase,</b> <b>effector,</b> <b>cyclic AMP</b></p> <p>Please insert a QWC symbol next to the pencil icon, followed by a tick (✓) if QWC has been awarded or a cross (x) if QWC has not been awarded You should use the green dot to identify the QWC terms that you are crediting.</p>

Question			Expected Answers	Marks	Additional Guidance
4	(c)	(i)	mitochondrion ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>  <b>ACCEPT</b> mitochondria
4	(c)	(ii)	ATP synth(et)ase ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>  <b>DO NOT CREDIT</b> ATPase as it doesn't have that function in the mitochondrion  <b>DO NOT CREDIT</b> pump
4	(c)	(iii)	hydrogen ion(s) / H <sup>+</sup> / proton(s) ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
4	(c)	(iv)	P / R ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
4	(c)	(v)	N ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
<b>Total</b>				<b>14</b>	

Question		Expected Answers	Marks	Additional Guidance
5	(a)	<p><i>purple sulfur bacteria</i> do not have chloroplasts / photosynthesis is carried out on an infolded membrane ;</p>	1	<p><b>No ORA</b></p> <p><b>ACCEPT</b> do not have (enclosed) grana <b>IGNORE</b> unqualified ref to membrane bound organelles</p>
5	(b)	(i) <p><i>reactant</i> water / H<sub>2</sub>O</p> <p><b>and</b></p> <p><i>evidence</i> sulfur bacteria supplied with H<sub>2</sub>S produce S (assuming H<sub>2</sub>S to be equivalent to H<sub>2</sub>O)</p> <p><b>or</b> sulfur bacteria do not use water as a reactant and so don't produce O<sub>2</sub> ;</p>	1	<p>Needs to be evidence from Q so <b>IGNORE</b> a description of H<sub>2</sub>O being used and O<sub>2</sub> being produced in plants</p>

Question	Expected Answers	Marks	Additional Guidance
5 (b) (ii)	<p><i>not appropriate because</i></p> <p>1 organism used , is not eukaryote / is prokaryote ;</p> <p>2 a specific way in which the processes may not be (directly) comparable ;</p> <p>3 pigment used is different / absorbs different wavelengths of light ;</p> <p><i>appropriate because</i></p> <p>4 but as H<sub>2</sub>S is equivalent to H<sub>2</sub>O in the reaction we can clearly see that the S is produced from H<sub>2</sub>S ;</p> <p>5 both use carbon dioxide to produce carbohydrate ;</p> <p>6 AVP ;</p>	2 max	<p>Award mark only if context stated or clearly implied.</p> <p>1 <b>ACCEPT</b> bacteria do not have chloroplasts <b>IGNORE</b> bacteria have no organelles</p> <p>2 e.g.</p> <ul style="list-style-type: none"> <li>• (bacteria) only use photosystem 1 (cyclic)</li> <li>• (bacteria) do not use , photosystem 2 / non-cyclic photophosphorylation</li> <li>• (bacteria) do not produce oxygen</li> <li>• green plants use photosystem 2 (non-cyclic)</li> <li>• H<sub>2</sub>S is a reactant in bacteria (and not in green plants) / S is a product in bacteria (and not in green plants)</li> </ul> <p>6 e.g.</p> <ul style="list-style-type: none"> <li>• bacterial enzymes may work at different , pH / temperature</li> <li>• both use photosystem 1</li> </ul>

Question			Expected Answers	Marks	Additional Guidance
5	(c)	(i)	(radioactive) carbon dioxide / $\text{CO}_2$ , is combining with RuBP ; RuBP / fixation , with radioactive carbon forms GP ;	1 max	<b>ACCEPT</b> carboxylation of RuBP
5	(c)	(ii)	1 RuBP is (still) being converted into GP ; 2 RuBP not regenerated as , ATP / reduced $\text{NADP}$ / $\text{NADPH}_{(2)}$ , is required ; 3 no , ATP / reduced $\text{NADP}$ / $\text{NADPH}_{(2)}$ , is produced , in the dark / by the light-dependent reaction / by photophosphorylation ;	2 max	2 <b>ACCEPT</b> convert GP (eventually) into RuBP instead of 'regenerate RuBP'
5	(c)	(iii)	<i>initial increase</i> 1 RuBP is (still) being converted to GP ;  <i>then remains constant</i> 2 no RuBP , available / left (to convert to GP)  <b>OR</b>  no , ATP / reduced $\text{NADP}$ , available to , regenerate RuBP / convert GP to TP ;	2	'increase' and 'constant' must be stated unless described in sequence  2 <b>DO NOT CREDIT</b> 'less' <b>ACCEPT</b> 'depleted'  2 <b>ACCEPT</b> convert GP (eventually) into RuBP instead of 'regenerate RuBP'



Question			Expected Answers	Marks	Additional Guidance
5	(c)	(iv)	<p>1 no glucose being formed and some being , used / respired (by cells) ;</p> <p>2 no glucose being formed and some being converted into another (named) compound ;</p> <p>3 AVP ;</p>	1 max	3 e.g. any glucose being formed from (stored) starch will not be radioactive and so will not be detected
			<b>Total</b>	<b>10</b>	

Question			Expected Answers	Marks	Additional Guidance
6	(a)		<p>respond ; organs / tissues ; cell signalling ;</p> <p>negative feedback ; homeostasis ;</p>	5	<p><b>Mark the first answer on each prompt line.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b></p> <p><b>ACCEPT</b> react / adapt <b>ACCEPT</b> cells</p>
6	(b)	(i)	pancreas ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
6	(b)	(ii)	Schwann (cell) ;	1	<b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b>
6	(b)	(iii)	glucagon ;	1	<p><b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b></p> <p>Only credit correct spelling</p>

Question			Expected Answers	Marks	Additional Guidance
6	(b)	(iv)	vagus ;	1	<p><b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b></p> <p><b>ACCEPT</b> phonetic spelling  <b>IGNORE</b> parasympathetic</p>
6	(b)	(v)	smooth muscle in arteriole (wall) ; erector muscle ; sweat gland ;	1 max	<p><b>Mark the first answer.</b> If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = <b>0 marks</b></p> <p><b>ACCEPT</b> sphincter muscle in arteriole  <b>ACCEPT</b> hair muscle</p>
<b>Total</b>				<b>10</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2017

