

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

## **MARK SCHEME for the May/June 2015 series**

### **0610 BIOLOGY**

**0610/22**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0610</b>	<b>22</b>

### Abbreviations used in the Mark Scheme

- ; separates marking points
- / separates alternatives within a marking point
- **R** reject
- **ignore** mark as if this material was not present
- **A** accept (a less than ideal answer which should be marked correct)
- **AW** alternative wording (accept other ways of expressing the same idea)
- underline words underlined (or grammatical variants of them) must be present
- **max** indicates the maximum number of marks that can be awarded
- **mark independently** the second mark may be given even if the first mark is wrong
- **ecf** credit a correct statement that follows a previous wrong response
- ( ) the word / phrase in brackets is not required, but sets the context
- **ora** or reverse argument
- **AVP** any valid point

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0610</b>	<b>22</b>

<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>
<b>1 (a)</b>	(presence of) backbone ;	[1]	<b>ignore</b> vertebrae
<b>(b) (i)</b>	<u>fish</u> ; <u>reptile</u> ;	[2]	
<b>(ii)</b>	scaly skin / scales ;	[1]	
		<b>[Total: 4]</b>	
<b>2 (a)</b>	<u>protein</u> ; <u>reactions</u> ; <u>catalysts</u> ;	[3]	
<b>(b)</b>	break down of large / insoluble (food) molecules ; into small / soluble (water) molecules ; reference to mechanical / chemical process / AW ;	max [2]	
<b>(c) (i)</b>	(pH) 2 ;	[1]	<b>A</b> 2 or 2.0 <b>R</b> other decimal points
<b>(ii)</b>	<u>stomach</u> ;	[1]	
<b>(iii)</b>	protein / gelatin ; amino acids ;	[2]	
<b>(d)</b>	the colourless area would be produced more quickly / would be bigger, if left for same time period ; it works faster / AW ;	[1]	
		<b>[Total: 10]</b>	

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0610	22

Question	Answers	Marks	Guidance for examiners												
3 (a)	<table border="1"> <tr> <td>name</td> <td>letter</td> </tr> <tr> <td>urethra ;</td> <td>G</td> </tr> <tr> <td>kidney</td> <td>A ;</td> </tr> <tr> <td>bladder ;</td> <td>E</td> </tr> <tr> <td>renal artery</td> <td>C ;</td> </tr> <tr> <td>ureter ;</td> <td>D</td> </tr> </table>	name	letter	urethra ;	G	kidney	A ;	bladder ;	E	renal artery	C ;	ureter ;	D	[5]	
name	letter														
urethra ;	G														
kidney	A ;														
bladder ;	E														
renal artery	C ;														
ureter ;	D														
(b) (i)	<u>liver</u> ;	[1]													
(ii)	(excess) amino acids / proteins ;	[1]	<b>A</b> polypeptides / peptides / peptones												
(iii)	<table border="1"> <tr> <td>blood plasma</td> <td>urine</td> </tr> <tr> <td>more glucose / glucose present</td> <td>glucose absent ;</td> </tr> <tr> <td>less urea</td> <td><b>ora</b> ;</td> </tr> <tr> <td>less salts</td> <td><b>ora</b> ;</td> </tr> <tr> <td>less water / more concentrated urine</td> <td><b>ora</b> ;</td> </tr> </table>	blood plasma	urine	more glucose / glucose present	glucose absent ;	less urea	<b>ora</b> ;	less salts	<b>ora</b> ;	less water / more concentrated urine	<b>ora</b> ;	max [3]			
blood plasma	urine														
more glucose / glucose present	glucose absent ;														
less urea	<b>ora</b> ;														
less salts	<b>ora</b> ;														
less water / more concentrated urine	<b>ora</b> ;														
		<b>[Total: 10]</b>													

<b>Page 5</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0610</b>	<b>22</b>

<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>
<b>4 (a) (i)</b>	mucus is difficult to move / AW ; increased coughing / AW ; it will become difficult to breathe / AW ; shortage of oxygen / AW ; weakness caused by poor respiration / AW ; bacteria / microorganisms remain in lungs / AW ; infection is possible / AW ;	max [2]	
<b>(ii)</b>	fat-digesting enzyme / lipase cannot reach intestine ; fat not broken down / digested ; to fatty acids and / or glycerol ;	max [2]	<b>A</b> fat not emulsified
<b>(b)</b>	an alternative form of a gene ;	[1]	
<b>(c) (i)</b>	<b>Nn</b> ; and <b>Nn</b> ;	[2]	
<b>(ii)</b>	<b>nn</b> ;	[1]	
<b>(iii)</b>	child 1 : <b>Nn</b> or <b>NN</b> ; child 3 : <b>Nn</b> or <b>NN</b> ;	[2]	
<b>(d)</b>	$\frac{1}{4}$ or 25% or 0.25 or 1 in 4 or 1:3 ;	[1]	
		<b>[Total: 11]</b>	

<b>Page 6</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0610</b>	<b>22</b>

<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>												
<b>5 (a)</b>	testa / seed coat ; cotyledon / food store ; radicle / young root ;	[3]													
<b>(b) (i)</b>	prevents drying out ; prevents fungal or bacterial attack on seed contents / AW ; protects / prevents damage (of the seed) ; prevents digestion (by enzymes) inside intestine of animal ;	max [1]													
<b>(ii)</b>	animal dispersal (idea of) ; fruit / tomato is eaten by animal / sticks to bird's beak ; seeds are not digested inside intestine of animal ; animal moves to new habitat ; undigested seeds pass out in faeces of animal ;	max [2]													
<b>(c) (i)</b>	an increase in complexity / AW ;	[1]													
<b>(ii)</b>	<table border="1"> <tr> <td><b>A</b></td> <td>NO</td> <td>water is required for germination / don't have water ;</td> </tr> <tr> <td><b>B</b></td> <td>NO</td> <td>oxygen is required for germination / don't have oxygen ;</td> </tr> <tr> <td><b>C</b></td> <td>YES</td> <td>both oxygen and water available ;</td> </tr> <tr> <td><b>D</b></td> <td>YES</td> <td>foil has no effect – light is not required for germination / both oxygen and water available ;</td> </tr> </table>	<b>A</b>	NO	water is required for germination / don't have water ;	<b>B</b>	NO	oxygen is required for germination / don't have oxygen ;	<b>C</b>	YES	both oxygen and water available ;	<b>D</b>	YES	foil has no effect – light is not required for germination / both oxygen and water available ;	max [5]	1 mark if YES / NO column correct 1 mark for each correct explanation
<b>A</b>	NO	water is required for germination / don't have water ;													
<b>B</b>	NO	oxygen is required for germination / don't have oxygen ;													
<b>C</b>	YES	both oxygen and water available ;													
<b>D</b>	YES	foil has no effect – light is not required for germination / both oxygen and water available ;													
		<b>[Total: 12]</b>													

<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>																		
<b>6 (a)</b>	plant beetle frog snake ;	[1]																			
<b>(b) (i)</b>	<b>P</b> – lag (phase) ; <b>Q</b> – log/exponential (phase) ; <b>R</b> – stationary (phase) ; <b>S</b> – decline/death (phase) ;	[4]																			
<b>(ii)</b>	more deaths than births ; fewer beetles so less food for frogs/more predators ; snakes catch/eat more frogs ; frogs catch a disease and die ;	max [3]																			
		<b>[Total: 8]</b>																			
<b>7</b>	<table border="1"> <thead> <tr> <th>definition</th> <th>matching word or phrase</th> </tr> </thead> <tbody> <tr> <td>an animal...</td> <td><u>carnivore</u> ;</td> </tr> <tr> <td>a network..</td> <td><u>food web</u> ;</td> </tr> <tr> <td>an organism..</td> <td><u>producer</u> ;</td> </tr> <tr> <td>the position...</td> <td><u>trophic level</u> ;</td> </tr> <tr> <td>an animal...</td> <td><u>herbivore</u> ;</td> </tr> <tr> <td>a group of ...</td> <td><u>population</u> ;</td> </tr> <tr> <td>a unit of ...</td> <td><u>ecosystem</u> ;</td> </tr> <tr> <td>a diagram which ...</td> <td><u>pyramid of numbers</u> ;</td> </tr> </tbody> </table>	definition	matching word or phrase	an animal...	<u>carnivore</u> ;	a network..	<u>food web</u> ;	an organism..	<u>producer</u> ;	the position...	<u>trophic level</u> ;	an animal...	<u>herbivore</u> ;	a group of ...	<u>population</u> ;	a unit of ...	<u>ecosystem</u> ;	a diagram which ...	<u>pyramid of numbers</u> ;	[8]	
definition	matching word or phrase																				
an animal...	<u>carnivore</u> ;																				
a network..	<u>food web</u> ;																				
an organism..	<u>producer</u> ;																				
the position...	<u>trophic level</u> ;																				
an animal...	<u>herbivore</u> ;																				
a group of ...	<u>population</u> ;																				
a unit of ...	<u>ecosystem</u> ;																				
a diagram which ...	<u>pyramid of numbers</u> ;																				
		<b>[Total: 8]</b>																			

<b>Page 8</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0610</b>	<b>22</b>

<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>						
<b>8 (a)</b>	<table border="1"> <tr><td>none</td></tr> <tr><td><b>B</b></td></tr> <tr><td><b>E</b></td></tr> <tr><td><b>D</b></td></tr> <tr><td><b>C</b></td></tr> <tr><td><b>A</b></td></tr> </table>	none	<b>B</b>	<b>E</b>	<b>D</b>	<b>C</b>	<b>A</b>	[5]	
none									
<b>B</b>									
<b>E</b>									
<b>D</b>									
<b>C</b>									
<b>A</b>									
<b>(b)</b>	<p><b>A:</b> has long hair-like extension ; thin walls ; increases / large surface area ; for absorption (of water / minerals) ; has no chloroplasts ; underground so does not photosynthesise ;</p> <p><b>E:</b> presence of chloroplasts ; for light absorption ; for photosynthesis ; long and thin / upright shape ; many cells can be packed together for maximum light absorption (for photosynthesis) ;</p>	[4]	1 mark for structural adaptation and 1 mark for function, for each of <b>A</b> and <b>E</b>						
		<b>[Total: 9]</b>							



<b>Question</b>	<b>Answers</b>	<b>Marks</b>	<b>Guidance for examiners</b>															
<b>9 (a)</b>	(water moves by) osmosis / diffusion ; down a (water potential) gradient/ from a high concentration of water to a low concentration of water ; lower water potential / AW in the blood ; colon has a high concentration of water / blood has a low concentration of water ; because the membrane is partially permeable ;	max [3]																
<b>(b) (i)</b>	<table border="1"> <thead> <tr> <th>length</th> <th>time</th> <th>surface area</th> <th>volume</th> <th>sa to volume ratio</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>41</td> <td>24</td> <td>8</td> <td>3:1 ;</td> </tr> <tr> <td>3</td> <td>76</td> <td>54</td> <td>27</td> <td>2:1 ;</td> </tr> </tbody> </table>	length	time	surface area	volume	sa to volume ratio	2	41	24	8	3:1 ;	3	76	54	27	2:1 ;	[2]	1 mark for each correct line <b>A</b> if just ratio stated
length	time	surface area	volume	sa to volume ratio														
2	41	24	8	3:1 ;														
3	76	54	27	2:1 ;														
<b>(ii)</b>	as surface area to volume ratio falls the efficiency of diffusion falls / time taken for diffusion increases / <b>ora</b> ;	[1]																
<b>(c)</b>	many air sacs / alveoli ; to increase / large surface area ; idea of extensive blood supply ; to remove absorbed materials ; one cell thick ; short diffusion distance ;	max [2]																
		<b>[Total: 8]</b>																