



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

\* 2 3 3 9 7 0 8 4 2 6 \*



**CHEMISTRY**

**0620/02**

Paper 2

**May/June 2007**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials required.

**READ THESE INSTRUCTIONS FIRST**

Write your centre number, Candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

A copy of the periodic table is printed on page 16.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
<b>1</b>	
<b>2</b>	
<b>3</b>	
<b>4</b>	
<b>5</b>	
<b>6</b>	
<b>7</b>	
<b>Total</b>	


This document consists of **15** printed pages and **1** blank page.




1 The structures of some elements and compounds are shown below.




A




B




C



D



E



F

(a) Answer these questions using the letters **A** to **F**.

- (i) Which structure is ethane? ..... [1]
- (ii) Which structure contains ions? ..... [1]
- (iii) Which structure is a gas that turns moist red litmus paper blue? ..... [1]
- (iv) Which structure is sodium chloride? ..... [1]
- (v) Which structure is the main constituent of natural gas? ..... [1]
- (vi) Which **two** structures are organic compounds? ..... [1]
- (vii) Which **two** structures are elements? ..... [1]

(b) Structure **F** is lead.

(i) What is the source of the small amount of lead present in the air?

..... [1]

(ii) State an adverse effect of lead on health.

..... [1]

(c) Structure **A** is sulphur. Explain why burning fossil fuels containing sulphur is harmful to the environment.

.....  
..... [2]


[Total: 11]

2 Clean air contains a number of different gases.

(a) State the names of the **two** gases which make up most of the air.

..... [2]

(b) A sample of air is drawn through the apparatus shown below.




(i) When the air is drawn through the apparatus, the lime water turns milky. Which gas turns lime water milky?

..... [1]

(ii) The white (anhydrous) copper sulphate turns blue. State the name of the substance which turns white copper sulphate blue.

..... [1]

(iii) Oxygen is removed from the air by passing it over heated copper. Complete the equation for this reaction.



(c) Pure air contains about 1% argon.

(i) In which Period of the Periodic Table is argon?

..... [1]

(ii) State the **name** of the Group of elements to which argon belongs.

..... [1]

(iii) Draw the electronic structure of argon.

[1]

(iv) Why is argon used in lamps?

..... [1]

(v) An isotope of argon has a mass number of 40.  
Calculate the number of neutrons in this isotope of argon.


..... [1]

(d) A small amount of xenon is present in the air.  
A few compounds of xenon have been made in recent years.

Calculate the relative molecular mass of xenon difluoride, XeF<sub>2</sub>.

[1]

(e) The structure of another compound of xenon is shown below.



(i) Write the simplest formula for this compound of xenon.

..... [1]

(ii) Describe the type of bonding in this compound.

..... [1]

[Total: 14]

- 3 Hydrogen is a fuel which can be obtained from water by electrolysis.  
Petrol is a fuel obtained by the fractional distillation of petroleum.

(a) (i) Complete the equation for the burning of hydrogen.



(ii) Suggest why hydrogen is a renewable source of energy.

..... [1]

(iii) When hydrogen is burnt, heat is given off. State the name of the type of reaction which gives off heat.

..... [1]

(b) Petrol is a mixture of alkanes.  
One of the alkanes in petrol is octane,  $\text{C}_8\text{H}_{18}$ .

What products are formed when octane is completely burnt in air?

..... [2]

(c) Petrol is only one of the fractions obtained from the fractional distillation of petroleum. State the name of two **other** fractions obtained from the distillation of petroleum. Give a use for each of these fractions.

fraction .....

use .....

fraction .....

use ..... [4]

(d) More petrol can be made by cracking less useful petroleum fractions.

(i) What do you understand by the term *cracking*?

..... [1]

(ii) State **two** conditions needed for cracking.

..... [2]

(iii) Alkenes can be formed by cracking. The simplest alkene is ethene.  
Draw a diagram to show the structure of ethene.  
Show all atoms and bonds.

[1]

[Total: 13]



4 Catalysts are often used in industry.

(a) (i) What do you understand by the term *catalyst*?

..... [1]

(ii) Which type of metals often act as catalysts?


..... [1]

(b) A student measured the volume of hydrogen gas produced when a few large pieces of zinc reacted with hydrochloric acid of concentration  $2.0 \text{ mol/dm}^3$ . The hydrochloric acid was in excess.

The results are given in the table.

time / minutes	0	10	20	30	40	50	60
volume of hydrogen / $\text{cm}^3$	0	27	54	81	100	110	110

(i) Plot a graph of volume of hydrogen against time on the axes below. Label the axes.



[4]

(ii) Copper ions catalyse the reaction between zinc and hydrochloric acid.  
On the axes above, sketch the line you would expect for the catalysed reaction.  
Label this line **C**. [2]


(iii) Explain why no more hydrogen is given off after 50 minutes.  
..... [1]

(c) What would happen to the speed of the reaction if

(i) small pieces of zinc were used instead of large pieces,  
..... [1]

(ii) the concentration of hydrochloric acid was  $1.0 \text{ mol/dm}^3$ ?  
..... [1]

(d) The equation for this reaction is



(i) State the name of the salt formed in this reaction.  
..... [1]

(ii) Describe a test for hydrogen.

test .....  
result ..... [2]

[Total: 14]

5 Some sunglasses are made from glass which darkens in bright sunlight. The glass contains tiny crystals of silver chloride and copper(I) chloride.

(a) In bright sunlight, in the presence of copper(I) chloride, the silver chloride breaks down to solid silver which darkens the glass.



State the name of the particle with the symbol e<sup>-</sup>.

..... [1]

(b) Silver is a metal. State **two** physical properties which are characteristic of all metals.

.....  
..... [2]

(c) In bright sunlight, the copper(I) chloride in the sunglasses is converted to copper(II) chloride.

What do the roman numerals (I) and (II) show in these copper compounds?  
Tick one box.

the number of atoms of copper in the copper compounds

the number of neutrons in the copper compounds

whether the copper is in the solid, liquid or gaseous state

the oxidation state of the copper in the copper compounds

[1]

(d) Describe a test for aqueous copper(II) ions.

test .....

result .....

..... [3]

(e) Give a common use of copper.

..... [1]

[Total: 8]

6 The halogens are a group of elements showing trends in colour, state and reaction with other halide ions.

(a) Complete the word equation for the reaction of chlorine with aqueous potassium bromide.

chlorine + potassium bromide  $\rightarrow$  ..... + ..... [2]

(b) Explain why an aqueous solution of iodine does not react with potassium chloride.

..... [1]

(c) The table shows the properties of some halogens.

halogen	state at room temperature	colour	boiling point / °C	density of solid / g cm <sup>-3</sup>
fluorine	gas	yellow		1.51
chlorine		green	-35	1.56
bromine	liquid	red-brown	59	
iodine	solid		184	4.93

(i) Complete the missing spaces in the table. [2]

(ii) Suggest values for

the boiling point of fluorine, .....

the density of bromine. .... [2]

(d) How many electrons does an atom of fluorine have

(i) in total, .....


(ii) in its outer shell? ..... [2]

(e) State a use for chlorine.

..... [1]

[Total: 10]

7 Aluminium is extracted by the electrolysis of aluminium oxide dissolved in cryolite.



(a) What information in the diagram shows that aluminium is more dense than the electrolyte? [1]

.....

(b) What form of carbon is used for the electrodes in this electrolysis? [1]

.....

(c) Which letter in the diagram, A, B, C or D, represents the anode? [1]

.....

(d) Suggest why electrolysis is used to extract aluminium rather than reduction using carbon. [1]

.....

(e) Oxygen gas is released at the anode.

(i) Where does this oxygen come from? [1]

.....

(ii) The oxygen reacts with the carbon anode to form carbon dioxide. What is the formula of carbon dioxide? [1]

.....

(iii) Why does the anode decrease in size during electrolysis? [1]

.....

- (f) Each electrolysis cell makes 212 kg of aluminium per day from 400 kg of aluminium oxide.  
Calculate how much aluminium can be made from 1 tonne (1000 kg) of aluminium oxide.

[1]

- (g) Complete the following sentences about the electrolysis of aluminium oxide using words from the following list.

**atoms    gaseous    molten    solid    ions    molecules**

Aluminium oxide conducts electricity when it is ..... because it  
contains ..... which are free to move.

[2]

[Total: 10]

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																						
I	II	III	IV	V	VI	VII	0																	
		1 <b>H</b> Hydrogen 1																						
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4											11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10							
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12											27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulphur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18							
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36							
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	101 <b>Ru</b> Ruthenium 44	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54							
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	190 <b>Os</b> Osmium 76	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	210 <b>Rn</b> Radon 86							
87 <b>Fr</b> Francium	226 <b>Ra</b> Radium	227 <b>Ac</b> Actinium											87	88	89	†								
		*58-71 Lanthanoid series †90-103 Actinoid series										140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	144 <b>Nd</b> Neodymium 60	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
		Key										232 <b>Th</b> Thorium 90	232 <b>Th</b> Thorium 90	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92	238 <b>U</b> Uranium 92
		a = relative atomic mass X = atomic symbol b = proton (atomic) number										98 <b>Cf</b> Californium	98 <b>Cf</b> Californium	99 <b>Es</b> Einsteinium	99 <b>Es</b> Einsteinium	100 <b>Fm</b> Fermium	100 <b>Fm</b> Fermium	101 <b>Md</b> Mendelevium	101 <b>Md</b> Mendelevium	102 <b>No</b> Nobelium	102 <b>No</b> Nobelium	103 <b>Lr</b> Lawrencium	103 <b>Lr</b> Lawrencium	

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).