

**Biology**

Advanced GCE F212

Molecules, Biodiversity, Food and Health

**Mark Scheme for June 2010**

---

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2010

Any enquiries about publications should be addressed to:

OCR Publications  
PO Box 5050  
Annesley  
NOTTINGHAM  
NG15 0DL

Telephone: 0870 770 6622  
Facsimile: 01223 552610  
E-mail: [publications@ocr.org.uk](mailto:publications@ocr.org.uk)

Question			Expected Answer				Mark	Additional Guidance																														
1	(a)	(i)	<table border="1"> <thead> <tr> <th>reagent</th> <th>observation</th> <th>molecule</th> <th>present or absent</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>ethanol and water</td> <td>white emulsion</td> <td>lipid</td> <td>present</td> <td></td> <td></td> </tr> <tr> <td>Benedict's solution</td> <td>brick-red precipitate</td> <td>reducing sugar / lactose / glucose / galactose / monosaccharides</td> <td>present</td> <td>;</td> <td></td> </tr> <tr> <td>biuret I and II</td> <td>lilac colour</td> <td>protein / named milk protein</td> <td>present</td> <td>;</td> <td></td> </tr> <tr> <td>iodine solution</td> <td>yellow / brown</td> <td>starch / amylose</td> <td>absent</td> <td>;</td> <td></td> </tr> </tbody> </table>				reagent	observation	molecule	present or absent			ethanol and water	white emulsion	lipid	present			Benedict's solution	brick-red precipitate	reducing sugar / lactose / glucose / galactose / monosaccharides	present	;		biuret I and II	lilac colour	protein / named milk protein	present	;		iodine solution	yellow / brown	starch / amylose	absent	;		3	<p>One mark per correct row.  <b>IGNORE</b> 'yes', 'no' and ticks and crosses  <b>DO NOT CREDIT</b> if anything incorrect is written in any box in the molecule column.            e.g. 'starch or cellulose' = 0 mark</p> <p><b>ACCEPT</b> maltose  <b>DO NOT CREDIT</b> sucrose</p> <p><b>ACCEPT</b> casein / lactoglobulin / lactalbumin / polypeptide</p> <p><b>IGNORE</b> amylopectin</p>
reagent	observation	molecule	present or absent																																			
ethanol and water	white emulsion	lipid	present																																			
Benedict's solution	brick-red precipitate	reducing sugar / lactose / glucose / galactose / monosaccharides	present	;																																		
biuret I and II	lilac colour	protein / named milk protein	present	;																																		
iodine solution	yellow / brown	starch / amylose	absent	;																																		
1	(a)	(ii)	milk is already, cloudy / an emulsion / white / AW ;				1	<b>ACCEPT</b> idea of difficulty in detecting change because of the appearance of milk																														
1	(a)	(iii)	<p>(one) glycerol / glyceride ;            3 fatty acids ;</p> <p>ester bond (between glycerol and fatty acid) ;</p>				3	<p><b>ACCEPT</b> marking points from clearly labelled diagram but <b>DO NOT CREDIT</b> if contradicted in text.  <b>IGNORE</b> individual atoms on diagram and look for correct position of labels  <b>MAX 2</b> if phosphate group included (as could be confused with phospholipid)</p> <p><b>ACCEPT</b> on diagram if 3 shown and at least one labelled  <b>ACCEPT</b> triglycerides are esters</p>																														

Question	Expected Answer	Mark	Additional Guidance
1 (b)	<p>1 (thermal) insulation ;  2 energy, store / source / release ;</p> <p>3 protection ;  4 membranes / phospholipid bilayer /  control entry and exit into cells ;  5 (steroid) hormones / named steroid hormone ;  6 buoyancy ;  7 waterproofing ;  8 source of water (from respiration) ;  9 (electrical insulation) in myelin / around neurones /  around axons / around dendrons ;  10 aid, absorption / storage / production, of,  fat soluble / A / D / E / K, vitamins ;</p>	3	<p><b>MARK THE FIRST RESPONSE ON EACH NUMBERED LINE</b></p> <p><b>1 ALLOW</b> 'warmth'  <b>2 CREDIT</b> answers that refer to the idea of lipid as a respiratory substrate but <b>DO NOT CREDIT</b> 'for respiration' unqualified  <b>IGNORE</b> 'fat contains energy' without further qualification  <b>DO NOT CREDIT</b> refs to producing energy or to quick energy release  <b>ACCEPT</b> 'provides energy'</p> <p><b>4 CREDIT</b> ref to cholesterol in membranes</p> <p><b>9 CREDIT</b> nerve fibres / saltatory conduction  <b>IGNORE</b> nerves</p>
1 (c) (i)	<p>saturated ;  (fatty acids have) no / fewer, double bonds ;  solid at room temperature ;</p>	1 max	<p>Assume answers refer to animal fats unless otherwise stated  <b>ACCEPT</b> reverse argument  <b>IGNORE</b> ref to fats and oils (as stated in question)</p> <p><b>ACCEPT</b> 'fatty acids are not kinked'  <b>ACCEPT</b> reasonable temperature quoted</p>

Question		Expected Answer	Mark	Additional Guidance
1	(c) (ii)	<p>1 (death rate for) men greater (at any concentration) / AW ;</p> <p>2 (death rates) rise with increasing cholesterol / AW ;</p> <p>3 death rate for men, initially / AW, falls ;</p> <p>4 steep(er) / AW, rise (in, males / both) at higher cholesterol levels ;</p> <p>5 comparative figures with unit for (blood) cholesterol to support any of the above points ;</p>	3 max	<p>1 <b>ACCEPT</b> ora</p> <p>2 <b>ACCEPT</b> 'positive correlation' (between death and cholesterol)</p> <p>3 <b>ACCEPT</b> 4.8 or below as 'initially'.</p> <p>4 Answers must refer to latter part of graph only (5.7 or above). <b>ACCEPT</b> difference (between sexes) greater at high concentration</p> <p>5 There are 3 ways of getting this mark:</p> <ul style="list-style-type: none"> <li>• values for both sexes at single concentration</li> <li>• two values for single sex at two concentrations</li> <li>• subtraction / calculation, that shows comparison</li> </ul> <p><b>IGNORE</b> terms like 'about'</p> <p>See table for acceptable examples of x and y values – if intermediate cholesterol values are used, refer to the graph for the data</p>

blood cholesterol (mmol dm <sup>-3</sup> )	deaths per 10 000	
	women	men
3.6	13.2 - 14.1	31.2 - 32.1
4.3	15.0 - 15.9	26.0 - 26.9
4.8	14.0 - 14.9	24.0 - 24.9
5.2	15.1 - 16.0	24.6 - 25.5
5.7	17.4 - 18.3	25.8 - 26.7
6.2	17.8 - 18.7	33.2 - 34.1
6.7	23.5 - 24.3	31.3 - 32.2
7.3	22.0 - 22.9	44.1 - 45.0
8.2	31.7 - 32.6	59.5 - 60.4

Must include (blood) cholesterol units

Any figure within a particular range is acceptable

Question			Expected Answer	Mark	Additional Guidance
1	(c)	(iii)	<p>1 coronary heart disease / CHD / cardio-vascular diseases / heart attack / cardiac arrest / myocardial infarction / MI / angina ;</p> <p>2 <u>a</u>therosclerosis / atheroma ;</p> <p>3 stroke ;</p> <p>4 <u>T</u>ype 2 diabetes ;</p>	2	<p><b>Mark first two in list</b></p> <p><b>1 DO NOT CREDIT</b> heart disease alone or 'conary' <b>ACCEPT</b> hypertension / high blood pressure</p> <p><b>2 DO NOT CREDIT</b> arteriosclerosis</p>
<b>Total</b>				<b>16</b>	

Question	Expected Answer	Mark	Additional Guidance
2 (a)	placing, living things / organisms / named organisms, into, groups / categories / taxa / named taxonomic groups ; based on / AW, similarity / difference ;	2	<b>ACCEPT</b> 'grouping living things'  Look for the idea of similar organisms being placed in the same group or different organisms being placed in different groups
2 (b) (i)	<p>1 morphology / anatomy / (observable / physical) features / appearance / AW ;</p> <p>2 biochemistry / cytochrome C ;</p> <p>3 genes / DNA / genetics / RNA ;</p> <p>4 behaviour / physiology / embryology ;</p> <p>5 idea of shared, evolutionary past / phylogeny ;</p>	3 max	<p><b>ACCEPT suitable examples for mps 1 to 4</b></p> <p>1 <b>CREDIT</b> cell features e.g. nucleus / membrane-bound organelles / cell wall / prokaryotic-eukaryotic features / unicellular</p> <p>2 <b>CREDIT</b> component of cell wall</p> <p>3 <b>IGNORE</b> chromosomes</p> <p>4 <b>ACCEPT</b> 'how they feed' / nutrition / 'how they reproduce'</p> <p>5 <b>ACCEPT</b> 'how closely related' <b>IGNORE</b> refs to interbreeding / fertile offspring</p>
2 (b) (ii)	T S R W U Q ; ; ;	3	<p><b>Mark the order of letters</b> (ignoring the dotted lines)</p> <p>All 6 in correct order = 3 marks</p> <p>If any incorrect, then credit</p> <p>T S in order at beginning = 1 mark</p> <p>U Q in order at end = 1 mark</p> <p>R before W anywhere in the sequence = 1 mark</p>

Question	Expected Answer	Mark	Additional Guidance
2 (c)	<p>1 <u>3</u> domains <b>AND</b> <u>5</u> kingdoms ;</p> <p>2 domains are, bacteria / eubacteria, <b>AND</b>, archaea / archaeobacteria, <b>AND</b>, eukarya / eukaryotes ;</p> <p>3 kingdoms are prokaryotes <b>AND</b> protocists <b>AND</b> fungi <b>AND</b> plants <b>AND</b> animals ;</p> <p>4 eukaryotes split into different kingdoms / all eukaryotes are in the same domain ;</p> <p>5 all prokaryotes are in the same kingdom / prokaryotes split into different domains ;</p> <p>6 domain classification based on, rRNA / ribosomes / RNA polymerase / protein synthesis / enzymes / flagella / membrane structure ;</p>	4 max	<p><b>ACCEPT phonetic spellings throughout</b> <b>ACCEPT</b> alternative terms for names of kingdoms and domains throughout (e.g. plants / plantae)</p> <p><b>2 ACCEPT</b> 'eukaryota'</p> <p><b>3 DO NOT CREDIT</b> protists / protozoa</p> <p><b>6 IGNORE</b> RNA unqualified <b>DO NOT CREDIT</b> other forms of RNA <b>ACCEPT</b> any detail of protein synthesis</p>
	<b>Total</b>	<b>12</b>	



Question	Expected Answer	Mark	Additional Guidance
3 (a)	<p>young / elderly / HIV infected / malnourished / post-operative / on immunosuppressants / leukaemia / undergoing cancer treatment / anorexics ;</p> <p>immature / compromised / weak / AW, immune system ;</p>	2	<p><b>IGNORE</b> prompt lines and mark the answer as a whole</p> <p><b>ACCEPT</b> AW for young / elderly etc</p> <p><b>IGNORE</b> 'ill' or 'unfit'</p> <p><b>IGNORE</b> any reference to populations e.g. those living in vicinity of outbreak</p> <p><b>ACCEPT</b> description</p> <p><b>ACCEPT</b> no immunity</p>
3 (b)	<p>(i)</p> <p>1 bacteria / (bacterial) cells, divide / increase in number / multiply / reproduce / proliferate / replicate ;</p> <p>2 (secrete) enzymes / named enzyme ;</p> <p>3 food, digested / broken down ;</p> <p>4a protein / named protein / polypeptides → peptides / amino acids <b>OR</b></p> <p>4b fat / triglycerides → fatty acids <b>OR</b></p> <p>4c starch / amylose / glycogen → glucose / sugar ;</p> <p>5 production / release / excretion / secretion, of, toxins / named toxin / waste products ;</p> <p>6 (causes) change in, appearance / smell / texture / taste ;</p>	3 max	<p><b>DO NOT CREDIT</b> 'mould' – penalise once only</p> <p>1 <b>IGNORE</b> 'growth' <b>DO NOT CREDIT</b> 'mitosis'</p> <p>2 <b>DO NOT CREDIT</b> excrete Answer should <b>not</b> imply intracellular enzymes</p> <p>4b <b>IGNORE</b> cholesterol</p> <p>4c <b>ACCEPT</b> other correct carbohydrate breakdown</p> <p>6 <b>CREDIT</b> suitable example e.g. 'goes mushy'</p>

Question			Expected Answer	Mark	Additional Guidance
3	(b)	(ii)	<p>1 bacteria, reproduce / AW, more rapidly / faster ;</p> <p>2 (so) more bacteria present ;</p> <p>3 more, toxins / waste, produced / released / AW ;</p> <p>4 more enzymes, secreted / AW ;</p> <p>5 enzyme, action faster / works better / more effective, at higher temperatures ;</p> <p>6 (substrate and enzymes have) more <u>kinetic</u> energy ;</p> <p>7 more, enzyme-substrate complexes / ESC / (successful) collisions <u>between substrate and active site</u> ;</p>	3 max	<p>Idea of 'more' is needed for all marking points but it can be stated once and linked to more than one point.</p> <ul style="list-style-type: none"> <li>e.g. 'more bacteria secreting enzymes' = mp 2 and 4</li> </ul> <p><b>ACCEPT</b> converse argument throughout</p> <p><b>ACCEPT</b> 'fungi' / 'mould' in place of bacteria as question stem does not specify</p> <p><b>1 IGNORE</b> 'grow' <b>IGNORE</b> 'more easily' or 'effectively' <b>DO NOT CREDIT</b> if the candidate thinks there is no reproduction at 5°C</p> <p><b>4 DO NOT CREDIT</b> excreted</p> <p><b>5 IGNORE</b> optimum</p>

Question	Expected Answer	Mark	Additional Guidance
3 (b) (iii)	<p>max 2 for 2 distinct methods max 2 for 2 <b>correctly linked</b> explanations Only credit the explanation mark if the method mark has been awarded.</p> <p><b>M1</b> salting ; <b>E1</b> lack of <u>water</u> due to, osmosis / low water potential (outside cell) ;</p> <p><b>M2</b> sugar ; <b>E2</b> lack of <u>water</u> due to, osmosis / low water potential (outside cell) ;</p> <p><b>M3</b> (air / freeze) drying ; <b>E3</b> <i>idea that enzymes cannot mobilise /</i> intracellular transport impaired / reactions have no medium in which to occur / (microbes) cannot move ;</p> <p><b>M4</b> pickling / (use of) vinegar ; <b>E4</b> (low pH) denatures / changes tertiary structure of / changes 3D shape of, enzymes / proteins <b>OR</b> substrate no longer fits active site / active site shape changes / prevents ESC ;</p> <p><b>M5</b> heat treatment / cooking ; <b>E5</b> denatures / changes tertiary structure of / changes 3D shape of, enzymes / proteins <b>OR</b> substrate no longer fits active site / active site shape changes / prevents ESC ;</p> <p><b>M6</b> irradiation / UV / gamma rays / X-rays / <u>ionising</u> radiation ; <b>E6</b> destroys / damages / changes / mutates, DNA / genes / genetic material ;</p> <p><b>M7</b> smoking ; <b>E7</b> (so exposed to) antibacterial / named antibacterial, chemical(s) ;</p> <p><b>M8</b> vacuum packing / canning / bottling ; <b>E8</b> microorganisms cannot respire <u>aerobically</u> ;</p>	<b>4</b>	<p>Where more than one method is given, mark first on line and assume explanation linked with that <b>DO NOT CREDIT</b> chilling or freezing (as in question)</p> <p><b>M1 IGNORE</b> drying <b>E1 ALLOW</b> low <math>\Psi</math> / high solute potential</p> <p><b>M2 IGNORE</b> drying <b>E2 ALLOW</b> low <math>\Psi</math> / high solute potential</p> <p><b>E4 DO NOT CREDIT</b> high pH</p> <p><b>M5 ACCEPT</b> pasteurising <b>IGNORE</b> canning for this mp</p> <p><b>E5, E 6 &amp; E7</b> <b>ACCEPT</b> 'kills bacteria' or 'kills microbes' as a reason supporting heat treatment, irradiation or smoking <b>only once</b></p> <p><b>M6 CREDIT</b> radiation if correctly qualified in explanation</p> <p><b>M7 CREDIT</b> addition of, sulphites / sodium benzoate / alcohol</p> <p><b>E8 IGNORE</b> 'denaturing' as a consequence of canning / bottling</p>

Question	Expected Answer	Mark	Additional Guidance
3 (c)	<p><b>This is a QWC question</b></p> <p><b>Ignore sections and mark as continuous prose</b></p> <p>1 low(er) / less, <u>energy</u> (than beef) ;</p> <p>2 useful for, slimming / weight control / AW ;</p> <p>3 low(er) / less, (total) fat ;</p> <p>4 (very) low / (much) less, saturated fat ;</p> <p>5 lower, cholesterol</p> <p><b>OR</b></p> <p>lower risk of, (coronary) heart disease / CHD / cardio-vascular diseases / heart attack / cardiac arrest / myocardial infarction / MI / angina / <u>atherosclerosis</u> / atheroma / stroke / hypertension ;</p> <p>6 contains carbohydrate / AW ;</p> <p>7 low(er) / less, iron content ;</p> <p>8 (increased risk of) anaemia / fewer RBCs / less haemoglobin / reduced oxygen carrying capacity of blood ;</p> <p>9 low(er) / less, protein ;</p> <p>10 (mycoprotein provides) more <u>balanced</u> diet ;</p> <p>11 need larger intake to meet requirements / AW ;</p>	7 max	<p>Assume candidate is talking about mycoprotein unless otherwise stated.</p> <p><b>CREDIT</b> ora for beef throughout.</p> <p><b>IGNORE</b> use of figures alone when awarding mps 1, 3, 6, 7, 9 – look for <b>descriptive statement</b>, e.g.</p> <ul style="list-style-type: none"> <li>• '12 g of protein' = no mark</li> <li>• 'only 12 g protein' = 1 mark (mp 9)</li> </ul> <p>2 <b>ACCEPT</b> preventing obesity</p> <p><b>ACCEPT</b> 'less energy to burn off <i>during exercise</i>'</p> <p><b>DO NOT CREDIT</b> 'burn off' unqualified</p> <p>6 <b>ACCEPT</b> 'more carbohydrate than beef'</p> <p><b>IGNORE</b> 'carbs'</p> <p>8 <b>IGNORE</b> answers phrased in terms of role of iron alone e.g. 'haemoglobin contains iron' = 0 Answers must show consequence of deficiency e.g. 'less haemoglobin' = 1</p>
	<p><b>QWC</b> – award for 2 clear references to the table ;</p>	1	<p>Award for 2 sets of comparative figures (stated or calculated) with units – 'content per 100g' not needed</p> <p><b>IGNORE</b> vague terms like 'about' as long as figs are correct</p>
	<b>Total</b>	<b>20</b>	

Question			Expected Answer	Mark	Additional Guidance
4	(a)	(i)	<p>1 (m)RNA is single stranded / DNA is double stranded ;</p> <p>2 (m)RNA is non helical / DNA is helical ;</p>	1	<p><b>Mark the first response</b> but do not award the mark if a further answer is incorrect or contradictory  <b>DO NOT CREDIT</b> refs to length as given in stem</p> <p>1 <b>ACCEPT</b> DNA is a double helix (as stranded is implied) <b>for this mp</b>  <b>DO NOT CREDIT</b> DNA is a double <i>molecule</i></p> <p>2 <b>ACCEPT</b> (mRNA) not twisted / not coiled / not spiral / straight / ora</p>
4	(a)	(ii)	<p>1 RNA contains ribose <b>and</b> DNA contains deoxyribose ;</p> <p>2 RNA contains, uracil / U, <b>and</b> DNA contains, thymine / T ;</p> <p>3 3 / more than 1, forms of RNA ;</p> <p>4 RNA is, single <u>stranded</u> / non helical,  <b>and</b> DNA is, double <u>stranded</u> / helical ;  <i>if not already <b>awarded</b> as answer in (i)</i></p>	1	<p><b>Mark the first response to (a)(ii)</b> – but do not award the mark if a further answer is incorrect or contradictory</p> <p>2 <b>DO NOT CREDIT</b> thymine</p> <p>3 <b>ACCEPT</b> ‘one form of DNA’</p>
4	(a)	(iii)	<u>gene</u> ;	1	<b>IGNORE</b> allele / operon
4	(a)	(iv)	too big to / does not, fit through <u>pore</u> (in nuclear envelope) ;	1	<b>ACCEPT</b> ‘too long to fit ... pore’
4	(a)	(v)	<p><i>idea that</i> only copies one, gene / section / part / AW, (of DNA) ;</p> <p><i>idea that</i> DNA comprises many, genes / alleles ;</p>	2	<p>e.g. mRNA only codes for 1 protein</p> <p><b>DO NOT CREDIT</b> ‘1 DNA molecule contains <u>all</u> the genes’  ‘mRNA only codes for 1 protein but DNA codes for many proteins’ = 2 marks</p>

Question		Expected Answer	Mark	Additional Guidance
4	(b) (i)	<p>1 <u>non</u>-competitive (inhibitor) ;</p> <p>2 (<math>\alpha</math>-amanitin / inhibitor / toxin) fits into, allosteric site / a place other than active site ;</p> <p>3 <u>active site</u> changes, shape / configuration / conformation / structure ;</p> <p>4 substrate no longer, fits / complementary to, <u>active site</u> ;</p>	2 max	<p>3 <b>ACCEPT</b> 'distortion of active site'</p> <p>4 Mark to be awarded in context of active site (although need not be repeated if stated in mp 3) <b>IGNORE</b> ESC</p>
4	(b) (ii)	<p>1 inhibits production of mRNA / mRNA not produced ;</p> <p>2 prevents protein synthesis / AW ;</p> <p>3 e.g. of, specific named protein / (vital) process, that may be affected ;</p>	2 max	<p>1 <b>CREDIT</b> prevents transcription</p> <p>2 <b>CREDIT</b> translation</p> <p>3 e.g. respiration / photosynthesis (as question refers to 'an organism') / haemoglobin / cytochrome C oxidase</p>
4	(c) (i)	sequence / order, of amino acids ;	1	<b>IGNORE</b> number / organisation
	(c) (ii)	<p>A = ionic ;</p> <p>B = hydrogen ;</p> <p>C = <u>disulfide</u> (bond / bridge) ;</p>	3	<p><b>ALLOW</b> phonetic spelling</p> <p><b>DO NOT CREDIT</b> <u>disulfate</u></p>
4	(d)	<p>1 increased <u>kinetic</u> energy ;</p> <p>2 (any part of protein molecule) vibrates ;</p> <p>3 hydrophilic / hydrophobic / hydrogen / ionic, bonds / interactions, break ;</p> <p>4 change in, <u>3D</u> shape / conformation (of protein) ;</p> <p>5 <u>denatures</u> ;</p>	3 max	<p>1 must contain the idea of <u>more</u> than normal</p> <p>3 <b>IGNORE</b> Van der Waals <b>DO NOT CREDIT</b> if disulfide / covalent / peptide bonds are included</p> <p>4 <b>IGNORE</b> tertiary / structure (as in question) <b>IGNORE</b> refs to, active site / enzymes</p>
<b>Total</b>			<b>17</b>	

Question			Expected Answer	Mark	Additional Guidance
5	(a)	(i)	<p>mucus traps, bacteria / microbes / pathogens / microorganisms / viruses / spores ;</p> <p>cilia, sweep / move / waft, mucus / bacteria / pathogens / microorganisms / viruses / spore, upwards / AW ;</p>	2	<p>For both marking points <b>ACCEPT</b> ora for what would happen if they didn't work</p> <p><b>IGNORE</b> ref to dirt / dust / etc</p> <p><b>ACCEPT</b> answers that imply out of airways e.g. to the throat / coughed / swallowed</p>

Question			Expected Answer	Mark	Additional Guidance
5	(a)	(ii)	<p><i>stage A</i></p> <p>1 phagocyte, attaches / binds / AW, to bacterium / pathogen ;</p> <p>2 <u>receptor</u> (on phagocyte), attaches to / binds to / recognises / AW, <u>antigen</u> (on bacterium) ;</p> <p><i>stage B</i></p> <p>3 bacterium, engulfed / enters by endocytosis / enters by phagocytosis / AW ;</p> <p>4 (formation of) <u>phagosome</u> / phagocytic vacuole ;</p> <p><i>stage C</i></p> <p>5 <u>lysosomes</u>, fuse with / join with / move towards (phagosome) ;</p> <p>6 release / secrete, enzymes / lysins / named enzyme / hydrogen peroxide / free radicals (into phagosome) ;</p> <p><i>stage C/D</i></p> <p>7 bacterium, digested / broken down / hydrolysed ;</p> <p>8 (to) amino acid / sugar / glucose / fatty acid / glycerol ;</p> <p><i>stage D</i></p> <p>9 absorbed / AW, into, <u>cytoplasm</u> / <u>cytosol</u> ;</p> <p>10 by, (facilitated / simple) diffusion / active transport ;</p>	6 max	<p><b>IGNORE</b> stage letters and look for correct sequence <b>DO NOT CREDIT</b> steps that are biologically out of sequence, e.g. mp6 before mp5. Penalise once only. <b>ACCEPT</b> 'bacteria' throughout</p> <p><b>2 CREDIT</b> PAMP / antibody marker / complement marker, as AW for antigen</p> <p><b>3 DO NOT CREDIT</b> 'eaten' <b>IGNORE</b> pseudopodia or any other structure</p> <p><b>5 DO NOT CREDIT</b> 'binds with'</p> <p><b>7 DO NOT CREDIT</b> destroyed (as in the question)</p> <p><b>IGNORE</b> refs to antigen presentation as this happens after the stage shown in the diagram</p>
5	(b)	(i)	plasma (cell) ;	1	<p><b>ACCEPT</b> B lymphocyte <b>ACCEPT</b> effector <u>cell</u> <b>DO NOT CREDIT</b> lymphocyte unqualified</p>



Question	Expected Answer	Mark	Additional Guidance
5 (b) (ii)	<p><b>This is a QWC question</b></p> <p>1 Y-shaped molecule / light and heavy chains / disulfide bonds / 4 polypeptide chains ;</p> <p>2 <u>constant</u> region ;</p> <p>3 marker for / binds to, phagocytes / AW ;</p> <p>4 <u>variable</u> region ;</p> <p>5 (antibody) <u>specificity</u> ;</p> <p>6 (has) <u>complementary shape</u> to antigen (on pathogen) ;</p> <p>7 <u>hinge</u> (region) ;</p> <p>8 allows flexibility ;</p> <p>9 more than one variable region :</p> <p>10 allows, agglutination / description of agglutination <b>or</b> attachment to more than one, pathogen / antigen ;</p> <p>11 neutralisation / blocking pathogen's binding sites ;</p>	6 max	<p><b>CREDIT</b> a correctly labelled diagram that is clearly an antibody  <b>CON</b> if diagram and text are contradictory  MPs 3, 5, 6, 8, 10 are stand alone but <b>DO NOT CREDIT</b> if context is clearly incorrect.  e.g. 'constant region gives specificity' <b>AWARD</b> mp 2 but not mp 5</p> <p><b>3 ACCEPT</b> ref to opsonisation</p> <p>'Complimentary shape to specific antigen' = 2 marks (mps 5 &amp; 6)</p> <p><b>8 IGNORE</b> 'movement' unqualified</p> <p><b>9 DO NOT CREDIT</b> from diagram unless more than one is explicitly labelled or clearly keyed (e.g. by shading)</p> <p><b>11 ACCEPT</b> ref. to antitoxin</p>
	<p><b>QWC</b> – award when 2 marks are given in any two of the grouped sections ;</p>	1	<p>2 marks had been awarded from 2 of the following groups of marks (4 marks in total)</p> <p>mps 2 &amp; 3  mps 4 &amp; 5/6  mps 7 &amp; 8  mps 9 &amp; 10</p>

Question			Expected Answer	Mark	Additional Guidance
5	(b)	(iii)	<p><i>type of immunity</i></p> <p><i>artificial active</i> <input type="checkbox"/></p> <p><i>artificial passive</i> <input type="checkbox"/></p> <p><i>natural active</i> <input type="checkbox"/></p> <p><i>natural passive</i> <input checked="" type="checkbox"/> ;</p>	1	<p><b>DO NOT CREDIT</b> if more than 1 box is ticked</p> <p><b>DO NOT CREDIT</b> a cross</p> <p><b>DO NOT CREDIT</b> a tick that has been crossed out and is a 'hybrid' tick</p>
			<b>Total</b>	<b>17</b>	

Question	Expected Answer	Mark	Additional Guidance
6 (a)	<p>1 <u>biodiversity</u> (of heathland) ;</p> <p>2 rare / endangered, species / plants / animals / fungi / organisms / named organism ;</p> <p>3 rarity of (this) <u>habitat</u> ;</p> <p>4 example of current <i>legal</i> status ;</p> <p>5 (likely) <u>reduction in size</u> of, habitat / ecosystem / heathland ;</p> <p>6 effect of reduced size on <u>viability</u> (of whole ecosystem) ;</p> <p>7 effect on, movement / spread, of, species / named species / plants / animals ;</p> <p>8 a method of minimizing impact / AW / named example ;</p>	3 max	<p>4 e.g. National Park / SSSI / protected species / National Nature Reserves / NNR / other <i>legal</i> example</p> <p>5 <b>IGNORE</b> 'habitat destruction' alone. Must refer to extent or size of destruction.</p> <p>7 <b>CREDIT</b> effect on wildlife corridors Answers could refer to limiting species spread or introduction of species</p> <p>8 e.g. 'toad tunnels' / relocation of population</p> <p>'build toad tunnels so that the toads can still move between the two areas of heathland' = 2 marks (mps 7 and 8)</p>
6 (b) (i)	<p>1 <i>idea of</i> (collect in) different / wider, area ;</p> <p>2 (collect at) different, times of day / times of year / weather conditions ;</p> <p>3 use of named, collecting / identifying, technique ;</p> <p>4 method of ensuring that individuals <u>not counted again</u> ;</p> <p>5 mark-release-recapture / capture-recapture, technique ;</p>	3 max	<p>1 <b>ALLOW</b> several transects e.g. another path</p> <p>3 e.g. (sweep) net / photographs / feeding stations <b>IGNORE</b> pooter (as could only catch larvae) / light trap / use of key / single transect</p> <p>4 This mark refers to an initial or the only sample – it is <b>not</b> linked to mp 5</p> <p>5 <b>CREDIT</b> count marked individuals in 2<sup>nd</sup> sample / population = <math>\frac{\text{no. in 1}^{\text{st}} \text{ sample} \times \text{no. in 2}^{\text{nd}} \text{ sample}}{\text{no. retrapped in 2}^{\text{nd}} \text{ sample}}</math></p>

Question			Expected Answer				Mark	Additional Guidance																																													
6	(b)	(ii)	<table border="1"> <thead> <tr> <th>species</th> <th>n</th> <th>n/N</th> <th>(n/N)<sup>2</sup></th> <th></th> </tr> </thead> <tbody> <tr> <td>Grayling (<i>Hipparchia semele</i>)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Large Heath (<i>Coenonympha tullia</i>)</td> <td></td> <td><b>0.3548</b></td> <td></td> <td>;</td> </tr> <tr> <td>Gatekeeper (<i>Pyronia tythonus</i>)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Green Hairstreak (<i>Callophrys rubi</i>)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Silver-studded Blue (<i>Plebeius argus</i>)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Small Heath (<i>Coenonympha phamhyllus</i>)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Sum (<math>\Sigma</math>)</td> <td><b>0.31633</b> <b>OR</b> <b>0.31217</b></td> <td>;</td> </tr> <tr> <td></td> <td></td> <td>1 - <math>\Sigma</math></td> <td>D = <b>0.68367</b> <b>OR</b> <b>0.68783</b></td> <td>;</td> </tr> </tbody> </table>				species	n	n/N	(n/N) <sup>2</sup>		Grayling ( <i>Hipparchia semele</i> )					Large Heath ( <i>Coenonympha tullia</i> )		<b>0.3548</b>		;	Gatekeeper ( <i>Pyronia tythonus</i> )					Green Hairstreak ( <i>Callophrys rubi</i> )					Silver-studded Blue ( <i>Plebeius argus</i> )					Small Heath ( <i>Coenonympha phamhyllus</i> )							Sum ( $\Sigma$ )	<b>0.31633</b> <b>OR</b> <b>0.31217</b>	;			1 - $\Sigma$	D = <b>0.68367</b> <b>OR</b> <b>0.68783</b>	;		<p>Original table on question paper had incorrect figure in (n/N)<sup>2</sup> column for Grayling row. Answers for mps 2 &amp; 3 take this into account.</p> <p><b>ACCEPT</b> ecf from incorrect answer for <math>\Sigma</math> (whether decimal places or rounding)</p>
		species	n	n/N	(n/N) <sup>2</sup>																																																
Grayling ( <i>Hipparchia semele</i> )																																																					
Large Heath ( <i>Coenonympha tullia</i> )		<b>0.3548</b>		;																																																	
Gatekeeper ( <i>Pyronia tythonus</i> )																																																					
Green Hairstreak ( <i>Callophrys rubi</i> )																																																					
Silver-studded Blue ( <i>Plebeius argus</i> )																																																					
Small Heath ( <i>Coenonympha phamhyllus</i> )																																																					
		Sum ( $\Sigma$ )	<b>0.31633</b> <b>OR</b> <b>0.31217</b>	;																																																	
		1 - $\Sigma$	D = <b>0.68367</b> <b>OR</b> <b>0.68783</b>	;																																																	
						<b>3</b>																																															
6	(b)	(iii)						<p><b>IGNORE</b> refs to relative robustness of habitat</p>																																													
		1	<p>many species present / high species richness / all species evenly represented / high species evenness / high biodiversity ;</p>					<p><b>1 ACCEPT</b> 'types of butterfly' as AW for species <b>IGNORE</b> 'individuals' or 'organisms'</p>																																													
		2	<p>(so) should not be developed / development should be modified / development should be reconsidered / should be conserved / AW ;</p>					<p><b>2 DO NOT CREDIT</b> ref to 'planning' alone (as given in question) <b>2 IGNORE</b> responses that imply uncertainty about the development. e.g. 'could' 'might' 'may'</p>																																													
							<b>2</b>																																														

Question			Expected Answer	Mark	Additional Guidance														
6	(c)	(i)	<table border="1"> <thead> <tr> <th>species</th> <th>letter</th> </tr> </thead> <tbody> <tr> <td>Grayling (<i>Hipparchia semele</i>)</td> <td>A ;</td> </tr> <tr> <td>Large Heath (<i>Coenonympha tullia</i>)</td> <td>D ;</td> </tr> <tr> <td>Gatekeeper (<i>Pyronia tythonus</i>)</td> <td>F ;</td> </tr> <tr> <td>Green Hairstreak (<i>Callophrys rubi</i>)</td> <td>B ;</td> </tr> <tr> <td>Silver-studded Blue (<i>Plebeius argus</i>)</td> <td>C ;</td> </tr> <tr> <td>Small Heath (<i>Coenonympha phamhylus</i>)</td> <td>E</td> </tr> </tbody> </table>	species	letter	Grayling ( <i>Hipparchia semele</i> )	A ;	Large Heath ( <i>Coenonympha tullia</i> )	D ;	Gatekeeper ( <i>Pyronia tythonus</i> )	F ;	Green Hairstreak ( <i>Callophrys rubi</i> )	B ;	Silver-studded Blue ( <i>Plebeius argus</i> )	C ;	Small Heath ( <i>Coenonympha phamhylus</i> )	E	5	DO NOT CREDIT if more than one letter given against any individual species
			species	letter															
			Grayling ( <i>Hipparchia semele</i> )	A ;															
			Large Heath ( <i>Coenonympha tullia</i> )	D ;															
			Gatekeeper ( <i>Pyronia tythonus</i> )	F ;															
			Green Hairstreak ( <i>Callophrys rubi</i> )	B ;															
			Silver-studded Blue ( <i>Plebeius argus</i> )	C ;															
			Small Heath ( <i>Coenonympha phamhylus</i> )	E															
6	(c)	(ii)	1 (is) same <u>genus</u> ;	2 max	<b>1 DO NOT CREDIT</b> vague statements like 'could be in the same genus' <b>IGNORE</b> <i>Coenonympha</i>  <b>2 IGNORE</b> 'similar' on its own <b>DO NOT CREDIT</b> 'same' <b>IGNORE</b> specific examples (e.g. orange wings / large spot)  <b>3 ACCEPT</b> closely related ;														
			2 have, features / characteristics / appearance / behaviour / biochemistry / physiology / anatomy / genes / genetic makeup / DNA, that are, similar / in common ;																
			3 (share a) common, ancestor / phylogeny ;																
<b>Total</b>				<b>18</b>															

**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**14 – 19 Qualifications (General)**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity



**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553